



PATENT
Attorney Docket No.: 10018060-3
Sent Via First Class Mail

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s):	Christian Belady et al.	Confirmation No.	7690
Serial No.	10/676,982	Group Art Unit:	3743
Filed:	October 1, 2003	Examiner:	T. Duong
For:	Thermal Transfer Interface System and Methods	Attorney Docket No.	10018060-3

MAIL STOP RCE
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

AMENDMENT AND RESPONSE TO ADVISORY ACTION

Sir:

This Amendment and Response to Advisory Action serves as Applicants' submission accompanying the Request for Continued Examination filed concurrently herewith. Applicants' Response to Final Office Action, filed September 12, 2005, was not entered. This Amendment and Response therefore replaces the Response of September 12, and further is in reply to the final Office Action of 12 July 2005.

Therefore, in Response to the Final Office Action mailed July 12, 2005 and the Advisory Action mailed September 29, 2005, please amend the application as follows:

IN THE SPECIFICATION begins on page 2 of this paper.

IN THE CLAIMS begins on page 3 of this paper.

IN THE DRAWINGS begins on page 6 of this paper and includes one (1) attached sheet of replacement drawings.

REMARKS begin on page 7 of this paper.